


# SUNFULL TIRES









## Shandong Changfeng Tyres Co., Ltd.

## Company Profile:

**SUNFULL Tires**, enjoying high popularity in both domestic and international markets, is one of the major brands developed by Shandong Changfeng Tyres Co., Ltd.

**Shandong Changfeng Tyres Co., Ltd.,** one of the major tire manufacturers in China, was established in 1995 and covers an area of 2 million square meters, with total assets of over 5 billion RMB and more than 10,000 employees. The company owns 6 plants in Dongying and Linyi city, Shandong province, China. Three plants are for TBR products with annual production capacity of 6 million tires, another three plants are for PCR products with annual production capacity of 30 million tires.

**Changfeng** specializes in manufacturing radial tires which are widely used in passenger car, SUV, light truck, truck and bus etc., and in all seasons with excellent performance, which are well-reputed all over the world.

**Changfeng** takes pride in its experienced R&D team and advanced testing facilities, which assure the excellent and stable quality of its products. Many of Changfeng's manufacturing equipments are imported from Europe, United States and Japan.

**Changfeng** has built a strong quality assurance system and its products are accredited with certificates of ISO9001, IATF16949, DOT, ECE, GCC, INMETRO, CCC, BIS, SNI, SONCAP, etc.



We export to more than 120 countries in the world

Version 2021

# STUDIEU TIRES

## Qualifications:



IATF16949



**ECE** 



CENTRAL CONTROL CONTRO

ISO9001



**INMETRO** 



SNI



DOT



GCC



SONCAP

## TABLE OF CONTENTS

PCR		
	SF-888	P1
	SF-688	P3
SUV		
	MONT-PRO HP881	P5
	MONT-PRO HT782	P6
	MONT-PRO AT782	P7
	MONT-PRO AT786	P8
数人	MONT-PRO MT781	P9
LIGH	IT TRUCK	
	SF-05	P10
ALL	SERSON	
	SF-983 AS	P11
	SF-08 AS	P12
רחוש	TER	-
	SF-982	P13
	SF-W11	P14
	MONT-PRO W781	P15
	SF-W05	P16
	SF-W07	P17



**ULTRA HIGH PERFORMANCE &** ASYMMETRICAL PATTERN DESIGN



Series	Size	Load Index	Speed Rating	UTQG
	265/30R19	93XL	W	280AAA
	275/30R19	96XL	W	280AAA
30	255/30R20	92XL	W	280AAA
	275/30R20	97XL	W	280AAA
	305/30R26	109XL	W	280AAA
	225/35R18	87XL	W	280AAA
	265/35R18	97XL	W	280AAA
	215/35R19	85XL	W	280AAA
	225/35R19	88XL	W	280AAA
	235/35R19	91XL	W	280AAA
35	245/35R19	93XL	W	280AAA
55	255/35R19	96XL	W	280AAA
	275/35R19	100XL	W	280AAA
	225/35R20	90XL	W	280AAA
	245/35R20	95XL	W	280AAA
	255/35R20	97XL	W	280AAA
	295/35R21	107XL	W	280AAA
	205/40R17	84XL	W	280AAA
	215/40R17	87XL	W	280AAA
40	225/40R18	92XL	W	280AAA
10	235/40R18	95XL	W	280AAA
	245/40R18	97XL	W	280AAA

Series	Size	Load Index	Speed Rating	UTQG
	225/40R19	93XL	W	280AAA
40	235/40R19	96XL	W	280AAA
	245/40R19	98XL	W	280AAA
	255/40R19	100XL	W	280AAA
	195/45R16	84XL	V	280AAA
	205/45R16	87XL	W	280AAA
	205/45R17	88XL	W	280AAA
	215/45R17	91XL	W	280AAA
46	225/45R17	94XL	W	280AAA
45	235/45R17	97XL	W	280AAA
	245/45R17	99XL	W	280AAA
	215/45R18	93XL	W	280AAA
	225/45R18	95XL	W	280AAA
	235/45R18	98XL	W	280AAA
	245/45R18	100XL	W	280AAA
	245/45R19	102XL	W	280AAA
	195/50R15	86XL	V	280AAA
	205/50R15	86	V	280AAA
50	185/50R16	81	V	280AAA
	195/50R16	88XL	V	280AAA
		5 6 7 6 7 C S	7000000	
















195/45R16	84XL	V	280AAA	Series	Size	Load	Speed	UTQG
205/45R16	87XL	W	280AAA	Series	3126	Index	Rating	0100
205/45R17	88XL	W	280AAA		225/50R16	92	٧	280AAA
215/45R17	91XL	W	280AAA	F0	205/50R17	93XL	W	280AAA
225/45R17	94XL	W	280AAA	50	215/50R17	95XL	W	280AAA
235/45R17	97XL	W	280AAA		225/50R17	98XL	W	280AAA
245/45R17	99XL	W	280AAA		205/55R15	88	V	280AAA
215/45R18	93XL	W	280AAA		185/55R16	83	V	280AAA
225/45R18	95XL	W	280AAA		195/55R16	91XL	V	280AAA
235/45R18	98XL	W	280AAA		205/55R16	94XL	W	280AAA
245/45R18	100XL	W	280AAA		215/55R16	97XL	V	280AAA
245/45R19	102XL	W	280AAA	55	215/55R16	97XL	W	280AAA
195/50R15	86XL	V	280AAA		225/55R16	99XL	V	280AAA
205/50R15	86	V	280AAA		205/55R17	95XL	W	280AAA
185/50R16	81	V	280AAA		215/55R17	98XL	W	280AAA
195/50R16	88XL	V	280AAA		225/55R17	101XL	W	280AAA
205/50R16	91XL	W	280AAA		235/55R17	103XL	W	280AAA

## Features

Four wide circumferencial grooves, lateral grooves with fine sipes and continuous block patterns on shoulder

Variable pitch tread design


Joint-less nylon band

Silica tread compound


Rim protector

## Benefits

- Provide efficient water evacuation, outstanding wet performance and enhanced stability at high speed cornering
- Superior comfort and quiet ride
- Improve tread stiffness and uniformity and deliver high speed stability
- Provide better performance on wet surface and reduce rolling resistance
- Protect wheels from curb damage



Stability



Four wide circumferential grooves deliver efficient water evacuation and prevent aquaplaning



Lateral grooves with fine sipes provide outstanding wet performance

Special rim protector

Protects wheels from curb damage

Multi-inner radius improves driving control while assuring performance

CONTROL

at high speed

*Improve* 



Series	SIZO		Speed Rating	UTQG	
50	195/50R15	82	V	400AA	
50	205/50R16	87	V	400AA	
	165/55R14	72	Н	400AA	
	185/55R14	80	Н	400AA	
	175/55R15	77	T	400AA	
55	185/55R15	82	V	400AA	
	195/55R15	85	V	400AA	
	205/55R16	91	V	400AA	
	215/55R16	97XL	V	400AA	
	165/60R13	73	T	400AA	
	175/60R13	77	Н	400AA	
	185/60R13	80	Н	400AA	
	205/60R13	86	T	400AA	
	165/60R14	75	Н	400AA	
	175/60R14	79	Н	400AA	
	185/60R14	82	Н	400AA	
	195/60R14	86	Н	400AA	
	205/60R14	88	Н	400AA	
60	165/60R15	77	Н	400AA	
	175/60R15	81	Н	400AA	
	185/60R15	84	Н	400AA	
	195/60R15	88	V	400AA	
	205/60R15	91	V	400AA	
	215/60R15	94	Н	400AA	
	195/60R16	89	Н	400AA	
	205/60R16	92	V	400AA	
	215/60R16	95	V	400AA	
	225/60R16	98	Н	400AA	

Series	Size	Index	Rating	UTQG	
60	225/60R16	102XL	V	400AA	
60	155/65R13	73	Т	400AA	
	165/65R13	77	Т	400AA	
	155/65R14	75	Т	400AA	
	165/65R14	79	T	400AA	
	175/65R14	82	Т	400AA	
	175/65R14	82	Н	400AA	
	185/65R14	86	Н	400AA	
	145/65R15	72	T	400AA	
C.F.	165/65R15	81	Т	400AA	
65	175/65R15	84	Н	400AA	
	185/65R15	88	Н	400AA	
	195/65R15	95XL	Н	400AA	
	195/65R15	91	V	400AA	
	205/65R15	94	V	400AA	
	215/65R15	96	Н	400AA	
	205/65R16	95	Н	400AA	
	215/65R16	98	Н	400AA	
	215/65R16	102XL	Н	400AA	
	145/70R12	69	Т	400AA	
	155/70R12	73	T	400AA	
70	165/70R12	77	Т	400AA	
	175/70R12	80	Т	400AA	
	145/70R13	71	Т	400AA	
	155/70R13	75	T	400AA	
	165/70R13	79	Т	400AA	
	175/70R13	82	T	400AA	

QG	图	MAT	3		
)AA	#	1111		V	The same of
DAA	#				11 11 11 11 11
)AA	E.				
)AA		Albil li		117	7
)AA					- Alle
AA	6			(0)	70
)AA	Sporty	Comfort Web	r Evecuation	Fuel Efficiency	All season
)AA	400	2-16 Inch	_	eed Ratii	Control of the Control
AA	O 50	0-80 Series	UT	QG: 400	AA
)AA	Series	Size	Load	Speed	UTQG
AA	Octios	Oize	Index	Rating	UTUC
AA		185/70R13	86	Н	400AA
)AA		165/70R14	81	T	400AA
)AA		175/70R14	84	Т	400AA
)AA	70	185/70R14	88	Н	400AA
AA	70	195/70R14	91	Н	400AA
AA		205/70R14	95	Н	400AA
)AA		205/70R15	96	Н	400AA
AA		215/70R15	98	Н	400AA
)AA		145/80R12	74	T	400AA
)AA		155/80R12	77	T	400AA
)AA		135/80R13	70	Т	400AA
)AA	80	155/80R13	79	Т	400AA
)AA	80	165/80R13	83	Т	400AA
AA		165/80R14	85	Т	400AA
AA		175/80R14	88	Т	400AA
AA		185/80R15	93	Т	400AA

## Features

Enhanced compound


Four wide circumferential tread grooves

Streamlined pattern design

Optimized variable pitch tread design

## **Benefits**

- Excellent grip on wet and dry road conditions
- Deliver excellent performance on wet roads
- Provide excellent water evacuation and beautiful appearance
- Superior comfort and quiet ride



# SUNFULL **TIRES**

ULTRA HIGH PERFORMANCE FOR LUXURY CROSSOVERS AND SUV

# **MONT-PRO HP881**

Series	Size	Load Index	Speed Rating	UTQG
35	285/35R22	106XL	V	280AAA
	275/40R20	106XL	W	280AAA
40	295/40R21	111XL	W	280AAA
	305/40R22	114XL	W	280AAA
	225/45R19	96XL	W	280AAA
	235/45R19	99XL	W	280AAA
45	285/45R19	111XL	W	280AAA
45	245/45R20	99	Y	280AAA
	255/45R20	105XL	V	280AAA
	275/45R20	110VL	V	280AAA
	255/50R19	107XL	V	280AAA
	245/50R20	102	W	280AAA
50	255/50R20	109XL	V	280AAA
	265/50R20	111XL	V	280AAA
	215/55R18	99XL	V	280AAA
	225/55R18	98	V	280AAA
	235/55R18	100	V	280AAA
55	255/55R18	109XL	W	280AAA
	225/55R19	99	V	280AAA
	235/55R19	105XL	V	280AAA
	245/55R19	103	V	280AAA
	255/55R19	111XL	V	280AAA
	275/55R19	111	V	280AAA
	275/55R20	117XL	V	280AAA
60	215/60R17	96	Н	280AAA
00	225/60R18	100	V	280AAA
	235/60R18	107XL	V	280AAA
	245/60R18	105	V	280AAA
	255/60R18	112XL	V	280AAA

285/60R18 120XL H 280AAA

















17-22 Inch 35-60 Series

## Speed Rating: H-Y UTQG: 280AAA

#### **Features Benefits**

Asymmetric tread > pattern

Utilizes two distinct tread patterns that enable optimal dry traction combined with all-season capability

Wide circumferential grooves

Effectively evacuate water and significantly enhance slipping resistance for outstanding wet

A straight rib block

Applied to the outside of the tire's contact patch helps to prevent decrease road noise and increase cornering grip

Silica enriched > compound

Provide superior traction and grip in wet and dry condition, reduce rolling resistance



Series	Size	Ply Rating	Load Index	Speed Rating	UTQG
	235/60R16		100	Н	440AA
	215/60R17		96	Н	440AA
	225/60R17		99	Н	440AA
	235/60R17		102	Н	440AA
	255/60R17		110XL	Н	440AA
	215/65R16		98	Н	440AA
	225/65R17		102	Н	440AA
	235/65R17		108XL	Н	440AA
	245/65R17		111XL	Н	440AA
SUV	255/65R17		110	Н	440AA
	265/65R17		112	Н	440AA
	285/65R17		116	Н	440AA
	215/70R16		100	Н	440AA
	225/70R16		103	Н	440AA
	235/70R16		106	Н	440AA
	245/70R16		111XL	Н	440AA
	255/70R16		111	Т	440AA
	265/70R16		112	Н	440AA
	275/70R16		116	Н	440AA
	245/70R17		110	Т	440AA
	265/70R17		115	Т	440AA
	235/75R15		109XL	Н	440AA
	31X10.50R15LT	6PR	109	R	
	LT265/70R17	10PR	121/118	S	
	LT235/75R15	6PR	104/101	R	
	LT225/75R16	10PR	115/112	S	
	LT245/75R16	10PR	120/116	S	
	LT265/75R16	10PR	123/120	R	
	LT245/75R17	10PR	121/118	S	
	LT215/85R16	10PR	115/112	R	
	LT235/85R16	10PR	120/116	R	

60-85 Series

**Features** 

## Benefits

UTQG: 440AA

and open shoulder slots

Four circumferencial grooves > Prevent aquaplaning with enhanced wet grip performance

High-density sipes with silica > Deliver a smooth ride, lower noise and improve traction on dry and wet roads

Variable pitch pattern and > Superior comfort and quiet ride optimized footprint design

Solid center ribs

> Provide steering stability and deliver a comfortable ride

Joint-less nylon band

Improve tread stiffness and uniformity and deliver high speed stability



LT275/70R16 8PR 119/116 S LT265/70R17 10PR 121/118 S LT285/70R17 8PR 121/118 R LT215/75R15 6PR 100/97

225/75R15C 6PR 110/108 S

LT235/75R15 6PR 104/101 R

LT225/75R16 10PR 115/112 S

LT245/75R16 10PR 120/116 S

LT265/75R16 10PR 123/120 R

LT285/75R16 10PR 126/123 R

LT235/85R16 10PR 120/116 R

SUV LT245/75R17 10PR 121/118 S LT215/85R16 10PR 115/112 R

245/65R17

265/65R17

255/70R15

235/70R16

245/70R16

255/70R16

265/70R16

245/70R17

265/70R17

P285/70R17

215/75R15

235/75R15

245/75R16 265/75R16 (%) 15-17 Inch

(A) Speed Rating: R-T

UTQG: 460AB

460AB

460AB

460AB

460AB

460AB

460AB 460AB

460AB 460AB

460AB

460AB

460AB

Т

Т

T

Т

Т

S

S

111 S 460AB

116 S 460AB

108

106

107

112

110

117

100

109

65-85 Series

Features	Benefits	
Special tread compound and wide footprint	Enhance tread life and deliver exce braking on wet and dry roads	llent
Block tread design with multiple-sipes	➤ Provide outstanding off-road trac	tion
Open shoulder grooves	Prevent aquaplaning with enhand wet grip performance	ced
Joint-less nylon band	Improve tread stiffness and unifor and deliver high speed stability	STORES OF MARKET

Strong structure design > Provide reliability and durability



460AB

460AB

460AB

460AB

460AB

460AB

460AB

460AB

460AB







**55-70 Series** 

15-20 Inch

Speed Rating: R-H

UTQG: 460AB

## **Features**

LT275/70R18

275/55R20

265/60R18

265/65R17

265/65R18

275/65R18

265/70R15

245/70R16

255/70R16

265/70R16

tread block

125/122

113

110

112

114

116

112

107

111

112

Zigzag-shaped traction grooves

Developed with tread and sidewall

Special tread compound and enhanced block stiffness

## **Benefits**

- Angled chamfer and a deep, tapered 
  Creates more gripping edges, provide class-leading performance in the mud and snow
  - ➤ Enhance off-road performance
  - ➤ Offers excellent all-terrain traction
  - > Improved tread wear, wet traction and hydroplaning resistance



Series	Size	Ply Rating	Load Index	Speed Rating
	31×10.50R15LT	6PR	109	Q
	33×12.50R15LT	6PR	108	Q
	33×12.50R20LT	10PR	114	Q
CUIV	35×12.50R20LT	10PR	121	Q
suv	LT265/70R17	10PR	121/118	Q
	LT235/75R15	6PR	104/101	Q
	LT245/75R16	10PR	120/116	Q
	LT265/75R16	10PR	123/120	Q









15-17 Inch



Speed Rating: Q



**70-75 Series** 

## **Features**

Aggressive pattern design

High void ratio and open shoulder design

Special casing profile and solid shoulder pattern


Reinforced casing construction

## Benefits

- Outstanding traction in all conditions
- Excellent resistance to aquaplaning and self-cleaning performance
- Enhanced traction and cornering performance
- Superior overall resistance to damage



SUNFUL!











(2) 12-16 Inch



(A) Speed Rating: Q-T

## **Features**

## **Benefits**

Reinforced structure composed > Deliver extra puncture resistance of two steel belts and full nylon protector

and robust load bearing capacity

Zigzag vertical groove with > Provide excellent wet and dry continuous sipes

Special abrasion-resistant tread > Provide enhanced mileage with compound

reduced heat

grooves and continuous sipes

Solid shoulder design with wide > Provide responsive handling, even wear and excellent water evacuation





FOR PASSENGER CAR

# **SF-983 AS**

225/55R17

235/55R17

215/55R18

225/55R18

235/55R18

165/60R14

185/60R14

155/60R15

101XL

103XL

99XL

98

104XL

75

82

74

V

V

V

V

V

Н

Н

Н

Series	Size	Load Index	Speed Rating	Series	Size	Load Index	Speed Rating
40	225/40R18	92XL	V		165/60R15	77	Т
40	245/40R18	97XL	V		185/60R15	88XL	Н
	195/45R16	84XL	V		195/60R15	88	Н
	205/45R16	87XL	V		205/60R16	96XL	V
	205/45R17	88XL	V	60	215/60R16	99XL	Н
	215/45R17	91XL	V		235/60R16	100	Н
45	225/45R17	94XL	V		215/60R17	96	Н
Ī	245/45R17	99XL	V		225/60R17	99	Н
	225/45R18	95XL	V		235/60R18	107XL	V
	235/45R18	98XL	V	65	155/65R13	73	Т
	245/45R18	100XL	V		165/65R13	77	Т
:	195/50R15	86XL	V		155/65R14	75	Т
	185/50R16	81	Н		165/65R14	79	T
	195/50R16	88XL	V		175/65R14	82	Т
50	205/50R17	93XL	V		185/65R14	86	Т
	215/50R17	95XL	V		145/65R15	72	Т
	225/50R17	98XL	V		165/65R15	81	Т
	235/50R18	101XL	V		175/65R15	88XL	T
	185/55R14	80	Н		185/65R15	88	Н
	175/55R15	77	T		195/65R15	91	Н
	185/55R15	86XL	Н		195/65R15	95XL	Н
	195/55R15	85	Н		205/65R15	94	Н
	195/55R16	91XL	V		215/65R16	102XL	Н
	205/55R16	94XL	V		225/65R17	102	Н
	215/55R16	97XL	V				
55	225/55R16	99XL	V	Feat	ures		
	205/55R17	95XL	V	-	54121 542		120
	215/55R17	98XL	V	Asym	metric pattern		-












Speed Rating: T-V







-/A				
Series	Size		Speed Rating	
65	235/65R17	108XL	Н	
	155/70R13	75	Т	
	165/70R13	79	Т	
	175/70R13	82	Т	
70	165/70R14	81	Т	
	175/70R14	88XL	T	
]	185/70R14	88	T	
	215/70R16	100	Н	
80	155/80R13	79	Т	

High grip silica compound

Two straight & two semi zigzag > longitudinal grooves

Two types sipes

Benefits

- Multi-performance harmony for total balanced all
- Improved snow / wet traction and lowered rolling
- Reduced ground resistance enables a smoother flow over water and snow, ensure the best wet and snow traction performance
- The application of summer and winter sipes allows the tire to possess high summer capabilities and winter



# **SF-08 AS**

Series	Size	Load Index	Speed Rating
	195/60R16C	99/97	Т
	215/60R16C	108/106	Т
	215/65R15C	104/102	T
	195/65R16C	104/102	R
	205/65R16C	107/105	Т
	215/65R16C	109/107	T
1.	225/65R16C	112/110	R
LT	235/65R16C	115/113	Т
	175/70R14LT	95/93	S
	195/70R15C	104/102	R
	215/70R15C	109/107	R
	225/70R15C	112/110	R
	195/75R16C	107/105	R
	205/75R16C	113/111	R


Benefits















Series	Size	Load Index		
LT	215/75R16C	116/114	R	
LI	225/75R16C	121/120	R	

### **Features**

Balanced pattern design

- Maximised for winter performance, boasts dry and wet performance on par with most summer tires
- High grip silica compound
- It provides excellent driving performance under all weather conditions Improved snow / wet traction and lowered rolling resistance
- Three zigzag grooves
- > To secure safety on wet roads, to satisfy both hydroplaning and snow
- Optimised sipe sequence on all four ribs
- For all surfaces from normal roads to rain and snow



SF-982

	Total Co.	Load	Speed
Series	Size	Index	Rating
35	265/35R18	97XL	V
35	275/35R19	100XL	V
	205/40R17	84XL	Н
	215/40R17	87XL	Н
7000	225/40R18	92XL	Н
40	235/40R18	95XL	Н
	245/40R18	97XL	Н
	245/40R19	98XL	V
	195/45R16	84XL	Н
	205/45R16	87XL	Н
	205/45R17	88XL	Н
	215/45R17	91XL	Н
15	225/45R17	94XL	Н
45	245/45R17	99XL	Н
	225/45R18	95XL	Н
	235/45R18	98XL	Н
	245/45R18	100XL	Н
	255/45R20	105XL	Н
	195/50R15	86XL	Н
	195/50R16	88XL	Н
	205/50R17	93XL	Н
50	215/50R17	95XL	Н
	225/50R17	98XL	Н
	255/50R19	103	Н
	255/50R20	109XL	Н
	185/55R15	86XL	Н
	195/55R15	85	Н
	195/55R16	91XL	Н
	205/55R16	91	Н
55	215/55R16	97XL	Н
55	225/55R16	99XL	Н
	205/55R17	95XL	Н
	215/55R17	98XL	Н
	225/55R17	101XL	Н
	235/55R17	103XL	Н

Series Size		Load Index	Speed Rating	-
	215/55R18	95	Н	
	225/55R18	98	Н	
55	235/55R18	104XL	Н	
	245/55R19	103	Н	
	255/55R19	111XL	Н	
	165/60R14	75	Н	
	185/60R14	82	Т	
	195/60R14	86	Н	
	175/60R15	81	Н	
	185/60R15	84	Т	
60	195/60R15	88	Н	
	205/60R16	92	Н	
	215/60R16	99XL	Н	
	215/60R17	96	Н	
	225/60R17	99	Н	
	235/60R18	107XL	Н	
	155/65R13	73	Т	
	155/65R14	75	T	
	175/65R14	82	Т	
65	185/65R14	86	Т	
00	175/65R15	84	Т	
	185/65R15	88	Т	
	195/65R15	91	Т	
	205/65R15	94	Н	

Series	Size	Index	Rating	1
F	215/55R18	95	Н	
	225/55R18	98	Н	
55	235/55R18	104XL	Н	
	245/55R19	103	Н	
	255/55R19	111XL	Н	
	165/60R14	75	Н	
	185/60R14	82	Т	
	195/60R14	86	Н	(
	175/60R15	81	Н	
	185/60R15	84	T	
60	195/60R15	88	Н	
	205/60R16	92	Н	
	215/60R16	99XL	Н	
	215/60R17	96	Н	
	225/60R17	99	Н	
	235/60R18	107XL	Н	
	155/65R13	73	Т	
	155/65R14	75	T	
65	175/65R14	82	Т	
	185/65R14	86	Т	
	175/65R15	84	T	
	185/65R15	88	T	
	195/65R15	91	Т	
	205/65R15	94	Н	

## Features

Outer longitudinal rib block design and inner lateral slots

Silica tread compound

Three longitudinal grooves

Non-through block sipes

## **Benefits**

80

12-20 Inch

215/65R16

225/65R17

235/65R17

145/70R12

155/70R13

165/70R13

175/70R13

185/70R13

165/70R14

175/70R14

205/70R15

155/80R13

35-80 Series

Enhance braking, cornering grip and the removal of water and slush

(A) Speed Rating: T-H

Load Speed

H

Н

H

T

Т

T

T

T

T

98

102

108XL

75

79

82

86

81

88XL

96

79

Deliver superb traction and lower rolling


Improve water evacuation and stability in deep snow conditions

Provide excellent grip, minimise the friction and reduce rolling resistance

# SUNFULL TIRES



# **SF-W11**



Series	Size	Load Index	Speed Rating
	225/65R16	100	Н
	205/65R17	96	Н
65	215/65R17	99	Т
05	225/65R17	102	Н
	235/65R17	104	Т
	245/65R17	107	Т
	175/70R13	82	Т
	185/70R13	86	Т
	185/70R14	88	Т
	215/70R16	100	T
70	235/70R16	106	Т
	265/70R16	112	Т
	275/70R16	114	Т
	245/70R17	110	Т
	265/70R17	115	T
75	215/75R15	100	S













## **Benefits**

pattern

Directional winter tread > Enhanced road contact and performance for snow and wet road conditions

Optimized tread sipe

> Enhanced acceleration and braking under winter conditions

Solid center rib

**Features** 

> Improve handling when changing lane and cornering

random stud lines

Optimum allocation multi > Improve traction performance on snow and ice and minimize stud noise

Winter traction compound > Silica-rich compound give improved ice, snow and wet grip while maintaining performance in cold temperature



**MONT-PRO W781** 

Series	Size	Load Index	Speed Rating
65	LT275/65R18	123/120	S
	LT245/70R17	119/116	S
70	LT265/70R17	121/118	S
	LT275/70R18	125/122	S
	LT235/75R15	104/101	R
	LT225/75R16	115/112	S
75	LT245/75R16	120/116	S
	LT265/75R16	123/120	R
	LT245/75R17	121/118	S













(X) 15-18 Inch



(A) Speed Rating: R-S



**65-75 Series** 

## **Benefits Features** V-shape tread pattern Enhanced snow traction performance through rigidity of the blocks Multi-angle sipe positioning Enhanced grip for braking on icy and snowy roads Sawtooth center rib Increase stability, maintain even treadwear, and aid in acceleration and Optimum allocation multi Improve traction performance on snow and ice and minimize stud noise random stud lines Silica-rich compound give improved ice, snow and wet grip while maintaining performance in cold temperature Winter traction compound



**SF-W05** 

Series	Size	Ply Rating	Load Index	
	195/60R16C	6PR	99/97	T
	215/60R16C	8PR	108/106	R
	215/65R15C	6PR	104/102	R
	195/65R16C	8PR	104/102	R
	205/65R16C	8PR	107/105	R
	215/65R16C	8PR	109/107	R
LT	225/65R16C	8PR	112/110	R
	235/65R16C	8PR	115/113	R
	195/70R15C	8PR	104/102	R
	215/70R15C	8PR	109/107	R
	225/70R15C	8PR	112/110	R
	195/75R16C	8PR	107/105	R
	215/75R16C	10PR	116/114	R







Speed Rating: R







**65-75 Series** 

Features		Benefits
Silica tread compound	>	Provide better performance on wet surface and reduce rolling resistance
Large block tread design	>	Enhance traction and handling in snow conditions
Zigzag grooves and high-density sipes arrangement	>	Improve grip performance from wet and frigid surfaces to snow and ice
Reinforced construction	>	Deliver robust load bearing capacity and rugged durability



# **SF-W07**

Series	Size	Ply Rating	Load Index	Speed Rating
	155R12C	8PR	88/86	Q
	155R13C	8PR	90/88	Q
	165R13C	8PR	94/92	R
	175R13C	8PR	97/95	R
LT	175R14C	8PR	99/98	R
LI	185R14C	8PR	102/100	R
	205/65R16C	8PR	107/105	Т
	215/65R16C	8PR	109/107	Т
	195/70R15C	8PR	104/102	R
	185/75R16C	8PR	104/102	R













12-16 Inch Speed Rating: Q-R

## **Features**

## **Benefits**

pattern

High void directional tread > Help to maintain contact with the road in winter condition providing confidence in winter driving

Multiple sipes


Improve grip power on snowy and icy road

Three sawtooth main grooves

Deliver exceptional traction and control for winter driving condition

Winter traction compound > Silica-rich compound give improved ice, snow and wet grip while maintaining performance in cold temperature

# **Technical File:**



## **Speed Symbols**

## **Load Capacity Index**

SI	KM/H
В	50
С	60
D	65
E	70
F	80
G	90
J	100
K	110
L	120
M	130
N	140
Р	150
Q	160
R	170
S	180
T	190
U	200
Н	210
V	240
W	270
Υ	300
Z	Above240

LI	KG	LI	KG	LI	KG	LI	KG
50	190	70	335	90	600	110	106
51	195	71	345	91	615	111	109
52	200	72	355	92	630	112	112
53	206	73	365	93	650	113	115
54	212	74	375	94	670	114	118
55	218	75	387	95	690	115	121
56	224	76	400	96	710	116	125
57	230	77	412	97	730	117	128
58	236	78	425	98	750	118	132
59	243	79	437	99	775	119	136
60	250	80	450	100	800	120	140
61	257	81	462	101	825	121	145
62	265	82	475	102	850	122	150
63	272	83	487	103	875	123	155
64	280	84	500	104	900	124	160
65	290	85	515	105	925	125	165
66	300	86	530	106	950	126	170
67	307	87	545	107	975	127	175
68	315	88	560	108	1000	128	180
69	325	89	580	109	1030	129	185
						130	190

# Tire Usage Tips:

## 1. Tire Tread Depth:

Change tires before the tread depth is worn to 1.6mm.

Make sure to regularly check the tread depth of tires and replace them when they are worn. This will guarantee maximum traction and grip, helping avoid risk of aquaplaning and it will also affect the braking distance etc..

## 2. Tire Balancing:

Tires should be balanced when they are mounted on wheels for the first time or when they are remounted after repair. Tire balance should be checked at the first sign of a vibration or shimmy. Unbalanced tires cause vibration, which can lead to driver fatigue, irregular and premature wear, as well as unnecessary wear to the vehicle's suspension.

#### 3. Tire Pressure:

Check the pressure of tire, including the spare, monthly and before any long journey, preferably when tires are cold. If they are hot, it is advisable to add 4-5 psi to the pressure recommended by the vehicle manufacturer.

Correct tire pressure reduces the risk of losing control of your vehicle. It also protects your tires from premature wear and irreversible damage to the internal construction. Tire pressure can drop due to small perforations, the natural escape of air through the tire's components or even from a decrease in ambient temperatures. So it is important to check it once a month.

## 4. Wheel Alignment:

#### ENSURE SAFETY WITH CORRECTLY ALIGNED WHEELS AND AXLES

A vehicle is properly aligned when all suspension and steering components are sound and when the tire and wheel assemblies are running straight and true. If you notice uneven tread wear, this could be due to a misalignment and must be serviced by a professional. It's important to ensure correct alignment to get the best road handling, protect your tires from irregular and / or rapid wear and save fuel.

#### 5.Rear Tire:

For optimum efficiency, regularly check the pressure and condition of your tire, especially during tire rotation as many vehicles specify different pressure on the front and rear axle.

#### FOR COMPLETE CONTROL, FIT YOUR NEW TIRE TO THE REAR AXLE.

Rear wheels are not connected to your steering wheel, which makes it extremely difficult to judge their grip while driving. So for your safety, always fit new, or the least worn tire to the rear wheel positions to ensure:

Better control in emergency braking or tight corners.

Less risk of losing control of your vehicle, especially on wet surfaces.

Better road holding, particularly in difficult situations, whether your car is front or rear wheel drive.

## 6. Tire Repair:

Tire repairs should be carried out by a trained tire professional. Proper repair procedure will include dismounting the tire from the wheel for a thorough inspection to check for damage, and the use of a patch and plug to repair any punctures that fall within the limits and guidelines for repair.

#### 7. Tire Rotation:

While many people are capable of rotating their own tires, it is quick, easy and secure to let a professional do it for you. Your vehicle's owner manual will specify the proper rotation pattern and schedule for your vehicle. If a specific schedule is not indicated, it is a good rule of thumb to rotate your tires every 8,000 to 10,000 kilometers.



5 <u></u>	
<del></del>	
<del></del>	
·	
<del></del>	
	<b>医型语言</b>
\$	





# SUNFULL TIRES

,	
2	
·	
3	